

**Ripe Vapes - 120ml Chubby Bottles  
General Certificate of Conformity  
Consumer Product Safety Commission  
PPPA and CNPPA**

1. Identification of the product(s) covered by this certificate:	<i>See Page 2 - 120ml Product List</i>
2. Citation to each CPSC product safety regulation to which this product is being certified:	<u>Test 1. Poison Packaging Prevention Act</u> 16 CFR 1700.15(b) 16 CFR 1700.20 <u>Test 2. Child Nicotine Poisoning Prevention Act</u> March 6, 2019 Nicotine Flow Restriction: CPSC's Test Methodology
3. Identification of the importer or domestic manufacturer certifying compliance of the product:	Ripe Vapes, Inc 591 Constitution Ave., Suite D, Camarillo, CA 93012
4. Contact information for the individual maintaining records of test results:	Records Department Chubby Gorilla, Inc. 10425 Slusher Drive Santa Fe Springs, California 90670 Phone: (844) 365-5218
5. Date and place where this product was manufactured:	2019-2020  Ripe Vapes, Inc 591 Constitution Ave., Suite D, Camarillo, CA 93012
6. Date and place where this product was tested according to CPSC Standards: 1. 16 CFR 1700 Special Packaging 2. CPSC's Test Methodology for Nicotine Flow Restriction	<i>See Pages 3-4</i>
7. Identification of third party laboratory on whose testing the certificate depends:	<i>See Pages 3-4</i>

# **Ripe Vapes 120ml Product List - 2019-2020**

Handcrafted Joose - VCT - 120ml


Handcrafted Joose - VCT Bold - 120ml

Handcrafted Joose - VCT Coconut - 120ml


Handcrafted Joose - VCT Strawberry - 120ml

Handcrafted Joose - VCT Chocolate - 120ml

Handcrafted Joose - Key Lime Cookie - 120ml

<p><b>CPSC Certificate of Compliance CC-SP-013</b></p>	
<p><b>Scope</b></p>	<p>Model Numbers CGUB1-120MLV3-XXXX are covered by this Certificate of Compliance (CoC). This CoC provides information for preparation of CPSC General Certificates of Conformity (GCC).</p>
<p><b>Bracketing</b></p>	<p>As indicated below, additional Models are included in this certificate by using bracketing, a design of a CPSC Study such that Models on the extremes of certain design factors (e.g., solvent ratio) or representative Models, with certain design factors which do not impact the study (e.g., color) are tested according to the full study design. The design assumes that the acceptance of bracketed Models are represented by the Models tested.</p>
<p><b>Statements of Compliance</b></p>	<p>A. Samples of Model CGUB1-120MLV3-NATL were evaluated and tested using the Poison Prevention Packaging Act Standards as required under the current Code of Federal Regulations (CFR). This Model meets the <i>Effectiveness specifications</i> (16 CFR 1700.15(b)) when tested by the method described in 16 CFR 1700.20.</p> <p>B. A sample of Model CGUB1-120MLV3-NATL was evaluated and tested using the Child Nicotine Poisoning Prevention Act (CNPPA) of 2015 and the Protocol described in CPSC’s industry letter dated March 8, 2019 titled: Nicotine Packaging Test Parameters. Model CGUB1-120MLV3-NATL meets the requirements for Nicotine Flow Restriction: CPSC’s Test Methodology based upon the average of four measurements of Samples filled with the worst case placebo ratio of vegetable glycerin and propylene glycol (70:30 VG:PG). Therefore, solvent ratios with higher amounts of vegetable glycerin, e.g., 80:20, 90:10 VG:PG are deemed to be compliant with the requirements by bracketing.</p> <p>C. All Model colors (CGUB1-120MLV3-XXXX) of the same size and diameter as Model CGUB1-120MLV3-NATL are deemed to be compliant with requirements described in Statements of Compliance A and B by bracketing.</p>
<p><b>Place where Test Records are maintained</b></p>	<p>Records Department Chubby Gorilla, Inc. 10425 Slusher Drive Santa Fe Springs, California 90670 Phone: (844) 365-5218</p>

**CPSC  
Certificate of  
Compliance  
CC-SP-013**



**CHUBBY®  
GORILLA**

ENGINEERED FOR A PURPOSE, DESIGNED FOR A PURPOSE

**Testing Labs**  
Date and place  
where testing was  
conducted (or to use  
when bracketed)

(1) 16 CFR 1700.20 testing on Model CGUB1-120MLV3-NATL was completed on December 2, 2017 by:

Bitner Associates, Inc.  
1001 Forest Trail  
Sugar Grove, IL 60554

(2) Flow restriction testing on Model CGUB1-120MLV3-NATL was completed on June 17, 2019 by:

Life Pack Labs, LLC  
Suite 103  
2865 Scott St.  
Vista CA 92081

GCC: For Models that are certified using bracketing (for color and VG:PG ratio) use the corresponding Testing Lab (above) for the Model upon which bracketing is based.

Third party  
laboratory on whose  
testing the certificate  
depends:

- (1) Bitner Associates, Inc.
- (2) Life Pack Labs, LLC

Certificate Approval: \_\_\_\_\_

21-June-2019

Dwain L Sparks, Regulatory Compliance Officer

Date

Company:

Chubby Gorilla, Inc. Phone: (844) 365-5218

Company Address:

10425 Slusher Drive, Santa Fe Springs, California 90670